



170691



66 Glen Avenue
P.O. Box 307
Glen Rock, New Jersey 07452
Telephone: (201) 444-9784
Fax: (201) 670-9788
E-mail: psi@petroscience.com
www.petroscience.com

January 10, 2007

VIA Overnight Delivery

Mr. Andrew L. Confortini
On-Scene Coordinator
USEPA, Region 2
2890 Woodbridge Avenue
Edison, New Jersey 08837

Re: Status Update
89 Morris Street
Morristown, New Jersey

Dear Mr. Confortini:

PetroScience, Inc. (PSI) is pleased to present the enclosed *Preliminary Report for Vapor Extraction Systems for 89 Morris Street, Morristown, New Jersey* regarding the installation of an Active Soil Depressurization (ASD) system. Field diagnostics (preliminary vacuum mapping) and design of the ADS system for the front portion of the subject site building (active dry cleaners, a.k.a. tenant space #10) will be performed upon vacation of premises by the tenant who currently is scheduled April 1, 2007. Please let me know if the EPA is going to performing any additional indoor air sampling and/or effluent sampling (stack testing).

Thank you for the opportunity to be of service to you. If you have any questions or comments, or require additional information, please do not hesitate to contact me at (201) 444-9784 ext. 121.

PetroScience, Inc.

A handwritten signature in black ink, appearing to read 'Edward W. Redfield', written over a horizontal line.

Edward W. Redfield
General Manager

Cc: Mr. Peter Austin
Matthew J. O'Donnell, Esq. (w/out enclosure)

\\Bertin-server\petro backup\PetroProjects\0480D.Morristown.PCE\Letters\Prelim.Report.Cover.011007.doc